

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|--|------------------|---------|---------------------|
| S1 | 4 | ((("6601087") or ("6654032")).PN. | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:25 |
| S2 | 7280 | (709/204,206).CCLS. | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:27 |
| S3 | 39 | (schedul\$4) with (meet\$4 or conferenc\$4) same (transmit\$4 or send\$4) with (id or identification) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:39 |
| S4 | 2 | ("7185054").PN. | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:35 |
| S5 | 50 | video with (meet\$4 or conferenc\$4) same (transmit\$4 or send\$4) with (id or identification) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:39 |
| S6 | 8 | video with (meet\$4 or conferenc\$4) same (transmit\$4 or send\$4) with (id or identification) same telephone and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:49 |
| S7 | 20 | (setUp) with (conferenc\$4 or meet\$4) same telephone same computer and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:48 |
| S8 | 226 | (server with host\$4 with conferenc\$4) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:48 |

| | | | | | | |
|-----|--------|--|--|----|-----|---------------------|
| S9 | 9899 | (transmit\$4 or send\$4) with (id or identification) same telephone and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:49 |
| S10 | 153006 | (transmit\$4 or send\$4) with (id or identification) with telephone and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:49 |
| S11 | 6196 | (transmit\$4 or send\$4) with (id or identification) with telephone and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:50 |
| S12 | 2971 | (transmit\$4 or send\$4) with (id or identification) near4 telephone and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:50 |
| S13 | 30 | (transmit\$4 or send\$4) with (id or identification) near4 telephone same (conference or meeting) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:55 |
| S14 | 7 | (obtain\$4) with (conference) near2 (ID or identification) same ("data center" or server) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 16:57 |
| S15 | 2 | (conference near2 server) with (send\$4 or transmit\$4) with (meeting or conference) near2 (id or identification) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 17:03 |
| S16 | 2 | ("20070192410").PN. | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 17:04 |
| S17 | 2 | ("6760749").PN. | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 17:06 |

| | | | | | | |
|-----|----|--|--|----|-----|---------------------|
| S18 | 2 | ("20030035527").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 17:07 |
| S19 | 2 | ("5995608").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 17:09 |
| S20 | 2 | ("6501740").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/30 17:09 |
| S21 | 76 | (video or audio) near3 (confere\$4 or meeting) near3 set\$up and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/05 14:00 |
| S22 | 18 | (establish\$4 or set\$up) with (video or audio) near3 (confere\$4 or meeting) near3 (identification or ID) and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/05 14:08 |
| S23 | 29 | server near3 host\$4 with (video or audio) near4 (confere\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/05 14:17 |
| S24 | 2 | (send\$4 or transmit\$4) near2 (video or audio) near4 (confere\$4 or meet\$4) near3 (ID or identification) and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/05 14:21 |
| S25 | 4 | (send\$4 or transmit\$4) near2 (video or audio) near4 (confere\$4 or meet\$4) with (ID or identification) and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/05 14:22 |
| S26 | 6 | (send\$4 or transmit\$4) near2 (video or audio) with (confere\$4 or meet\$4) with (ID or identification) and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/05 14:23 |

| | | | | | | |
|-----|-----|--|--|----|-----|---------------------|
| S27 | 20 | (computer near2 telephone) same (meeting or conferenc\$4) near2 device and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/05 14:36 |
| S28 | 109 | (computer and telephone) with (connect\$4 or coupl\$4) with (conferenc\$4 or meeting) near2 (device or computer or telephone) and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/02/05 14:43 |
| S29 | 0 | telephone with conferenc\$4 with push with start with meeting and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/22 13:27 |
| S30 | 0 | telephone same conferenc\$4 same push same start same meeting and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/22 13:27 |
| S31 | 12 | telephone same conferenc\$4 same start same meeting and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/22 13:27 |
| S32 | 17 | telephone same conferenc\$4 same start\$4 same meeting and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/22 13:28 |
| S33 | 936 | (send\$4 or transmit\$4) with start\$4 with messag\$4 with server and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/22 13:40 |
| S34 | 223 | (computer or user) with (send \$4 or transmit\$4) with start\$4 with messag\$4 with server and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/22 13:41 |
| S35 | 5 | (computer or user) near2 (send \$4 or transmit\$4) near3 start\$4 with messag\$4 with server and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/22 13:41 |

| | | | | | | |
|-----|--------|---|--|----|-----|---------------------|
| S36 | 96 | codec with encod\$4 with message and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/22 14:44 |
| S37 | 1 | codec with encod\$4 with message near2 (identification or ID) and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/22 14:44 |
| S38 | 0 | PC\$PSTN with adapter and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:42 |
| S39 | 328533 | adapter connect\$4 with (computer or laptop) with network and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:43 |
| S40 | 251427 | adapter connect\$4 with (computer or laptop) with (online or video) with (meet\$4 or conferenc\$4) with network and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:45 |
| S41 | 4 | adapter with connect\$4 with (computer or laptop) with (online or video) with (meet\$4 or conferenc\$4) with network and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:45 |
| S42 | 2 | ("20030072429").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:48 |
| S43 | 0 | ("2003/0072429").URPN. | USPAT | OR | OFF | 2008/12/13 10:48 |
| S44 | 4 | ((("6671262") or ("6807564")).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:49 |

| | | | | | | |
|-----|-------|--|--|----|-----|---------------------|
| S45 | 662 | bridg\$4 with (computer or laptop) with server and (@ad<="20030603" or @riad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:54 |
| S46 | 1600 | tele\$phone near3 adapter and (@ad<="20030603" or @riad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:54 |
| S47 | 358 | tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) and (@ad<="20030603" or @riad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:55 |
| S48 | 265 | tele\$phone near3 adapter with connect\$4 with (computer or laptop or device) and (@ad<="20030603" or @riad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:55 |
| S49 | 2 | tele\$phone near3 adapter with connect\$4 with (computer or laptop or device) same conferenc\$4 and (@ad<="20030603" or @riad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:55 |
| S50 | 971 | (379/201.01).OCLS. | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:57 |
| S51 | 2 | S48 and S50 | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:58 |
| S52 | 3 | S47 and S50 | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:58 |
| S53 | 86630 | ("379").CLAS. | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:59 |

| | | | | | | |
|-----|-------|---|--|----|-----|---------------------|
| S54 | 110 | S53 and S47 | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:59 |
| S55 | 85 | S53 and S48 | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 10:59 |
| S56 | 1 | tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) near4 (conferenc\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 11:05 |
| S57 | 2 | tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) same (conferenc\$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 11:07 |
| S58 | 96 | tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) and (conferenc \$4 or meet\$4) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 11:07 |
| S59 | 36 | S58 and S53 | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 11:07 |
| S60 | 2 | ("6175565").PN. | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 11:15 |
| S61 | 226 | (computer or user) with (send \$4 or transmit\$4) with start\$4 with messag\$4 with server and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 12:26 |
| S62 | 86630 | ("379").CLAS. | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 12:27 |

| | | | | | | |
|-----|-------|--|--|----|-----|---------------------|
| S63 | 86630 | S62 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 12:27 |
| S64 | 21 | S62 and S61 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 12:27 |
| S65 | 358 | tele\$phone near3 adapter same connect\$4 with (computer or laptop or device) and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 12:29 |
| S66 | 358 | S65 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 12:29 |
| S67 | 3 | S65 and S61 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/12/13 12:29 |
| S68 | 6 | adaptor with connect\$4 with handset with base and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/06/10 11:23 |
| S69 | 223 | device with connect\$4 with handset with base and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/06/10 11:29 |
| S70 | 27 | device with connect\$4 near4 between with handset with base and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/06/10 11:29 |
| S71 | 2 | computer with send\$4 with start with meeting and (@ad<="20030603" or @rlad<="20030603") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/06/10 13:48 |

| | | | | | | |
|-----|------|---|--|----|-----|---------------------|
| S72 | 2 | start\$4 with meeting with command with computer and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/06/10 13:50 |
| S73 | 9001 | adaptor with connect\$4 with computer same send\$4 start\$4 with (meet\$4 or conferenc\$4) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/06/10 13:53 |
| S74 | 0 | adaptor with connect\$4 with computer same send\$4 with start\$4 with (meet\$4 or conferenc\$4) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/06/10 13:54 |
| S75 | 214 | adaptor near3 (caus\$4 or send \$4 or transmit\$4) near2 (command or signal) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/06/10 14:07 |
| S76 | 9 | adaptor near3 (caus\$4 or send \$4 or transmit\$4) near2 (command or signal) near3 (computer or network) and (@ad<="20030603" or @rlad<="20030603") | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/06/10 14:09 |
| S77 | 4 | ((("6671262") or ("6807564")). PN. | US-PGRUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2009/06/10 14:19 |
| S78 | 2 | ("2003/0072429").URPN. | USPAT | OR | OFF | 2009/06/10 14:22 |

6/10/2009 3:36:45 PM

C:\Documents and Settings\btiv\My Documents\EAST\Workspaces
10699103_conference_setup_phones.wsp